This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
3	274	(microcontrol\$5 or micro adj2 control\$5) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 14:03
4	108	((microcontrol\$5 or micro adj2 control\$5) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (buffer\$3 or transmit\$5 or transmit\$5 or transmission or reception)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 08:32
5	120	((microcontrol\$5 or micro adj2 control\$5) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (buffer\$3 or transmit\$5 or transmission or reception or driv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 08:41
6	9	(((microcontrol\$5 or micro adj2 control\$5) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (buffer\$3 or transmit\$5 or transmission or reception or driv\$3)) same (tristat\$5 or imped?nce\$1 or isolat\$5 or disconnect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:49
7	79	(remote\$2 or distance\$1 or length\$1) with (iic or i2c or inter adj2 integrated adj2 circuit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:34
8	155	(remote\$2 or distance\$1 or length\$1 or network\$3) with (iic or i2c or inter adj2 integrated adj2 circuit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 08:42
9	121	((remote\$2 or distance\$1 or length\$1 or network\$3) with (iic or i2c or inter adj2 integrated adj2 circuit\$5)) and (@ad<20010718 or @rlad<20010718 or @prad<20010718 or @pt1d<20010718 or @pd<20010718)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:59
10	456	(remote\$2 or distance\$1 or length\$1 or network\$3) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 08:42
12	126	(((remote\$2 or distance\$1 or length\$1 or network\$3) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (driv\$3 or receiv\$3 or transmitt\$3 or transmission or reception or buffer\$3 or amplify\$3 or amplifi\$5 or repeater\$1)) and (@ad<20010718 or @rlad<20010718 or @prad<20010718 or @pt1d<20010718 or @pd<20010718)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 08:58
11	166	((remote\$2 or distance\$1 or length\$1 or network\$3) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (driv\$3 or receiv\$3 or transmitt\$3 or transmission or reception or buffer\$3 or amplify\$3 or amplifi\$5 or repeater\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 08:44

Search History 5/11/04 2:27:46 PM Page 1 C:\APPS\EAST\Workspaces\09682094.wsp

13	198139	(master\$ or primary) with (control\$7 or	USPAT;	2004/05/11
		microcontrol\$7 or micro adj2 control\$7 or adapt?r\$1)	US-PGPUB; EPO; JPO; DERWENT;	08:47
14	45	(((remote\$2 or distance\$1 or length\$1 or network\$3) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (driv\$3 or receiv\$3 or transmitt\$3 or transmission or reception or buffer\$3 or amplify\$3 or amplifi\$5 or repeater\$1)) and ((master\$ or primary) with (control\$7 or microcontrol\$7 or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 08:47
15	30	micro adj2 control\$7 or adapt?r\$1)) ((((remote\$2 or distance\$1 or length\$1 or network\$3) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (driv\$3 or receiv\$3 or transmitt\$3 or transmission or reception or buffer\$3 or amplify\$3 or amplifi\$5 or repeater\$1)) and ((master\$ or primary) with (control\$7 or microcontrol\$7 or micro adj2 control\$7 or adapt?r\$1))) and (@ad<20010718 or @rlad<20010718 or @prad<20010718)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:31
16	126	(((remote\$2 or distance\$1 or length\$1 or network\$3) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (driv\$3 or receiv\$3 or transmitt\$3 or transmission or reception or buffer\$3 or amplify\$3 or amplifi\$5 or repeater\$1)) and (@ad<20010718 or @rlad<20010718 or @prad<20010718 or @pt1d<20010718 or @pd<20010718)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:36
17	96	((((remote\$2 or distance\$1 or length\$1 or network\$3) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (driv\$3 or receiv\$3 or transmitt\$3 or transmission or reception or buffer\$3 or amplify\$3 or amplifi\$5 or repeater\$1)) and (@ad<20010718 or @rlad<20010718 or @prad<20010718 or @pt1d<20010718 or @prad<20010718)) not (((((remote\$2 or distance\$1 or length\$1 or network\$3) same (iic or i2c or inter adj2 integrated adj2 circuit\$5)) same (driv\$3 or receiv\$3 or transmitt\$3 or transmission or reception or buffer\$3 or amplify\$3 or amplifi\$5 or repeater\$1)) and ((master\$ or primary) with (control\$7 or microcontrol\$7 or micro adj2 control\$7 or adapt?r\$1))) and (@ad<20010718 or @rlad<20010718 or @ptad<20010718))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:36
18	365	(remote\$2 or distance\$1 or length\$1 or repeat\$3 or extend\$5 or extension\$1 or expand\$5 or expansion or amplify\$3 or amplifi\$7) with (iic or i2c or inter adj2 integrated adj2 circuit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:36

19	126	((((remote\$2 or distance\$1 or length\$1 or	USPAT;	2004/05/11
		network\$3) same (iic or i2c or inter adj2 integrated	US-PGPUB;	09:59
		adj2 circuit\$5)) same (driv\$3 or receiv\$3 or	EPO; JPO;	
		transmitt\$3 or transmission or reception or buffer\$3	DERWENT;	
		or amplify\$3 or amplifi\$5 or repeater\$1)) and	IBM_TDB	
		(@ad<20010718 or @rlad<20010718 or	1011_100	
		@prad<20010718 or @p+1d<20010718 or		
		@pd<20010718)) and (@ad<20010718 or		
		@rlad<20010718 or @prad<20010718 or		
		@pt1d<20010718 or @pd<20010718)		
20	96	((((((remote\$2 or distance\$1 or length\$1 or	USPAT;	2004/05/11
		network\$3) same (iic or i2c or inter adj2 integrated	US-PGPUB;	09:59
		adj2 circuit\$5)) same (driv\$3 or receiv\$3 or	EPO; JPO;	09.59
		transmitt\$3 or transmission or reception or buffer\$3	DERWENT;	
		or amplify\$3 or amplifi\$5 or repeater\$1)) and	IBM_TDB	
		(@ad<20010718 or @rlad<20010718 or	TRIM_TOB	
		@prad<20010718 or @pt1d<20010718 or		
		@pd<20010718)) and (@ad<20010718 or		;
		@rlad<20010718 or @prad<20010718 or		
		@pt1d<20010718 or @pd<20010718)) not		
	-	(((((remote\$2 or distance\$1 or length\$1 or		
		network\$3) same (iic or i2c or inter adj2 integrated		
		adj2 circuit\$5)) same (driv\$3 or receiv\$3 or		
		· ·		
		transmitt\$3 or transmission or reception or buffer\$3		
		or amplify\$3 or amplifi\$5 or repeater\$1)) and		
		((master\$ or primary) with (control\$7 or		
		microcontrol\$7 or micro adj2 control\$7 or		
		adapt?r\$1))) and (@ad<20010718 or @rlad<20010718		
		or @prad<20010718 or @pt1d<20010718 or		
21	277/14	@pd<20010718))		
21	277614	(microcontrol\$5 or micro adj2 control\$5 or control\$5	USPAT;	2004/05/11 10:51
		or adapt?r\$1) with (distribut\$3 or master\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
22	115	//missassambasidE with 120 145	IBM_TDB	
<i></i>	115	((microcontrol\$5 or micro adj2 control\$5 or	USPAT;	2004/05/11
		control\$5 or adapt?r\$1) with (distribut\$3 or	US-PGPUB;	10:49
		master\$1)) same (iic\$1 or i2c\$1 or inter adj2	EPO; JPO;	
		integrated adj2 circuit\$5)	DERWENT;	
22		///	IBM_TDB	
23	93	(((microcontrol\$5 or micro adj2 control\$5 or	USPAT;	2004/05/11
		control\$5 or adapt?r\$1) with (distribut\$3 or	US-PGPUB;	10:57
		master\$1)) same (iic\$1 or i2c\$1 or inter adj2	EPO; JPO;	
		integrated adj2 circuit\$5)) and (@ad<20010718 or	DERWENT;	
]	@rlad<20010718 or @prad<20010718 or	IBW_TDB	
		@pt1d<20010718 or @pd<20010718)		

24	83	((((microcontrol\$5 or micro adj2 control\$5 or	USPAT;	2004/05/11
		control\$5 or adapt?r\$1) with (distribut\$3 or	US-PGPUB;	10:00
		master\$1)) same (iic\$1 or i2c\$1 or inter adj2	EPO; JPO;	
		integrated adj2 circuit\$5)) and (@ad<20010718 or	DERWENT;	
		@rlad<20010718 or @prad<20010718 or	IBM_TDB	
		@pt1d<20010718 or @pd<20010718)) not		
		(((((remote\$2 or distance\$1 or length\$1 or		
		network\$3) same (iic or i2c or inter adj2 integrated		
		adj2 circuit\$5)) same (driv\$3 or receiv\$3 or		
		transmitt\$3 or transmission or reception or buffer\$3		
		or amplify\$3 or amplifi\$5 or repeater\$1)) and		
		((master\$ or primary) with (control\$7 or		
		microcontrol\$7. or micro adj2 control\$7 or		
		adapt?r\$1))) and (@ad<20010718 or @rlad<20010718		
		or @prad<20010718 or @pt1d<20010718 or		
	*	@pd<20010718))		
25	3902	(i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11 12:15
		circuit\$2) and (tristat\$5 or imped?nce\$1 or isolat\$5	US-PGPUB;	
		or disconnect\$5)	EPO; JPO;	
			DERWENT;	
24		// A A	IBW_TDB	
26	2187	((i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) and (tristat\$5 or imped?nce\$1 or isolat\$5	US-PGPUB;	10:50
		or disconnect\$5)) and (amplify\$3 or amplifi\$7 or	EPO; JPO;	
		repeat\$7)	DERWENT;	
27	74.0703	(minnessmanldE annies a 120 annies a 145	IBM_TDB	0004/05/11 15 =:
()	760792	(microcontrol\$5 or micro adj2 control\$5 or control\$5	USPAT;	2004/05/11 10:51
		or adapt?r\$1) with (distribut\$3 or master\$1 or	US-PGPUB;	
		multiple or plural\$3)	EPO; JPO;	
			DERWENT;	
28	512	(((i2c\$1 or iic\$1 or inter adj2 integrated adj2	IBM_TDB USPAT;	2004/05/11
	312	circuit\$2) and (tristat\$5 or imped?nce\$1 or isolat\$5	US-PGPUB;	10:55
		or disconnect\$5)) and (amplify\$3 or amplifi\$7 or	EPO; JPO;	10.55
		repeat\$7)) and ((microcontrol\$5 or micro adj2	DERWENT;	
		control\$5 or control\$5 or adapt?r\$1) with	IBM_TDB	
		(distribut\$3 or master\$1 or multiple or plural\$3))		
29	470502	(tristat\$5 or imped?nce\$1 or isolat\$5 or	USPAT;	2004/05/11
		disconnect\$5) and (amplify\$3 or amplifi\$7 or	US-PGPUB;	10:59
		repeat\$7)	EPO; JPO;	10.05
			DERWENT;	
			IBM_TDB	
30	242	((microcontrol\$5 or micro adj2 control\$5 or	USPAT;	2004/05/11
		control\$5 or adapt?r\$1) with (distribut\$3 or	US-PGPUB;	10:57
		master\$1 or multiple or plural\$3)) same (i2c\$1 or	EPO; JPO;	
		iic\$1 or inter adj2 integrated adj2 circuit\$2)	DERWENT;	
			IBM_TDB	
31	61	((tristat\$5 or imped?nce\$1 or isolat\$5 or	USPAT;	2004/05/11
		disconnect\$5) and (amplify\$3 or amplifi\$7 or	US-PGPUB;	10:57
		repeat\$7)) and (((microcontrol\$5 or micro adj2	EPO; JPO;	
		control\$5 or control\$5 or adapt?r\$1) with	DERWENT;	
		(distribut\$3 or master\$1 or multiple or plural\$3))	IBM_TDB	
		same (i2c\$1 or iic\$1 or inter adj2 integrated adj2	_	
		circuit\$2))		

	T			
32	43	(((tristat\$5 or imped?nce\$1 or isolat\$5 or	USPAT;	2004/05/11
		disconnect\$5) and (amplify\$3 or amplifi\$7 or	US-PGPUB;	10:59
		repeat\$7)) and (((microcontrol\$5 or micro adj2	EPO; JPO;	
		control\$5 or control\$5 or adapt?r\$1) with	DERWENT;	
		(distribut\$3 or master\$1 or multiple or plural\$3))	IBW_LDB	
		same (i2c\$1 or iic\$1 or inter adj2 integrated adj2		
		circuit\$2))) and (@ad<20010718 or @rlad<20010718		
		or @prad<20010718 or @pt1d<20010718 or		
22	205	@pd<20010718)	_	
33	395	(tristat\$5 or imped?nce\$1 or isolat\$5 or	USPAT;	2004/05/11
	·	disconnect\$5) same (i2c\$1 or iic\$1 or inter adj2	US-PGPUB;	10:58
		integrated adj2 circuit\$2)	EPO; JPO;	
		·	DERWENT;	
			IBW_LDB	
34	355	(amplify\$3 or amplifi\$7 or repeat\$7) same (i2c\$1 or	USPAT;	2004/05/11
ļ		iic\$1 or inter adj2 integrated adj2 circuit\$2)	US-PGPUB;	10:59
		·	EPO; JPO;	
			DERWENT;	
			IBW_TDB	
36	3	((((microcontrol\$5 or micro adj2 control\$5 or	USPAT;	2004/05/11 12:15
		control\$5 or adapt?r\$1) with (distribut\$3 or	US-PGPUB;	
		master\$1 or multiple or plural\$3)) same (i2c\$1 or	EPO; JPO;	
		iic\$1 or inter adj2 integrated adj2 circuit\$2)) and	DERWENT;	
		((tristat\$5 or imped?nce\$1 or isolat\$5 or	IBM_TDB	
		disconnect\$5) same (i2c\$1 or iic\$1 or inter adj2		
		integrated adj2 circuit\$2)) and ((amplify\$3 or		
		amplifi\$7 or repeat\$7) same (i2c\$1 or iic\$1 or inter		
		adj2 integrated adj2 circuit\$2))) and (@ad<20010718		
		or @rlad<20010718 or @prad<20010718 or		
		@pt1d<20010718 or @pd<20010718)		
35	4	(((microcontrol\$5 or micro adj2 control\$5 or	USPAT;	2004/05/11 11:00
		control\$5 or adapt?r\$1) with (distribut\$3 or	US-PGPUB;	250 17 557 11 11:00
		master\$1 or multiple or plural\$3)) same (i2c\$1 or	EPO; JPO;	
		iic\$1 or inter adj2 integrated adj2 circuit\$2)) and	DERWENT;	
		((tristat\$5 or imped?nce\$1 or isolat\$5 or	IBM_TDB	
		disconnect\$5) same (i2c\$1 or iic\$1 or inter adj2	1000_100	
-		integrated adj2 circuit\$2)) and ((amplify\$3 or		
		amplifi\$7 or repeat\$7) same (i2c\$1 or iic\$1 or inter		
		adj2 integrated adj2 circuit\$2))		
37	13	(US-6728908-\$ or US-6510522-\$ or US-6463499-\$	USPAT;	2004/05/11 11:04
		or US-6338150-\$ or US-6233635-\$ or	US-PGPUB	2004/05/11 11:04
		US-6145102-\$ or US-5995512-\$ or US-5884044-\$	03-16108	
		or US-5604918-\$ or US-5592233-\$ or		
		US-5502503-\$).did. or (US-20030126253-\$ or		
	:	US-20020175828-\$).did.		
38	7		LICDAT.	2004/25/22
	,	(i2c\$1 or iic\$1 or inter adj2 integrated adj2 circuit\$2) with repeater\$1	USPAT;	2004/05/11
		cu can be) with teheater bt	US-PGPUB;	12:26
	ļ		EPO; JPO;	
			DERWENT;	
39	,	//:2-#1 H-#1 total 1:2	IBM_TDB	
37	6	((i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) with repeater\$1) and (@ad<20010718 or	US-PGPUB;	12:27
	1	@rlad<20010718 or @prad<20010718 or	EPO; JPO;	,
	ŀ	@pt1d<20010718 or @pd<20010718)	DERWENT;	
			IBW_TDB	

40	11	(i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11 12:41
		circuit\$2) with (repeater\$1 or extender\$1)	US-PGPUB;	2004/05/11 12:41
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
41	10	((i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) with (repeater\$1 or extender\$1)) and	US-PGPUB;	12:44
		(@ad<20010718 or @rlad<20010718 or	EPO; JPO;	
		@prad<20010718 or @pt1d<20010718 or	DERWENT;	
		@pd<20010718)	IBM_TDB	
42	4	(((i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) with (repeater\$1 or extender\$1)) and	US-PGPUB;	12:27
		(@ad<20010718 or @rlad<20010718 or	EPO; JPO;	
		@prad<20010718 or @pt1d<20010718 or	DERWENT;	
		@pd<20010718)) not (((i2c\$1 or iic\$1 or inter adj2	IBM_TDB	
		integrated adj2 circuit\$2) with repeater\$1) and	1011_100	
		(@ad<20010718 or @rlad<20010718 or		
		@prad<20010718 or @pt1d<20010718 or		
		@pd<20010718))		
43	175	(i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) with (isolat\$7 or disconnect\$7)	US-PGPUB;	13:43
		, , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
44	0	((i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) with (repeater\$1 or extender\$1)) and	US-PGPUB;	12:43
		((i2c\$1 or iic\$1 or inter adj2 integrated adj2	EPO; JPO;	12.10
		circuit\$2) with (isolat\$7 or disconnect\$7))	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
45	156	((i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11 12:51
		circuit\$2) with (isolat\$7 or disconnect\$7)) and	US-PGPUB;	
		(@ad<20010718 or @rlad<20010718 or	EPO; JPO;	
		@prad<20010718 or @pt1d<20010718 or	DERWENT;	
		@pd<20010718)	IBM_TDB	
46	8	(((i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) with (isolat\$7 or disconnect\$7)) and	US-PGPUB;	12:44
		(@ad<20010718 or @rlad<20010718 or	EPO; JPO;	
		@prad<20010718 or @pt1d<20010718 or	DERWENT;	
		@pd<20010718)) and 7??.clas.	IBM_TDB	
47	108	((microcontrol\$5 or micro adj2 control\$5 or	USPAT;	2004/05/11 13:10
		control\$5 or adapt?r\$1) with (distribut\$3 or	US-PGPUB;	200 1/03/11 13:10
	i i	master\$1 or multiple or plural\$3)) with (i2c\$1 or iic\$1	EPO; JPO;	
		or inter adj2 integrated adj2 circuit\$2)	DERWENT;	
		,,,,,,,	IBM_TDB	
48	84	(((microcontrol\$5 or micro adj2 control\$5 or	USPAT;	2004/05/11
		control\$5 or adapt?r\$1) with (distribut\$3 or	US-PGPUB;	13:35
		master\$1 or multiple or plural\$3)) with (i2c\$1 or iic\$1	EPO; JPO;	15.55
		or inter adj2 integrated adj2 circuit\$2)) and	DERWENT;	
		(@ad<20010718 or @rlad<20010718 or	IBM_TDB	
		@prad<20010718 or @pt1d<20010718 or		
		@pd<20010718)		

40				
49	93	network\$3 with (i2c\$1 or iic\$1 or inter adj2	USPAT;	2004/05/11 13:10
		integrated adj2 circuit\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBW_TDB	
50	68	(network\$3 with (i2c\$1 or iic\$1 or inter adj2	USPAT;	2004/05/11
		integrated adj2 circuit\$2)) and (@ad<20010718 or	US-PGPUB;	13:43
		@rlad<20010718 or @prad<20010718 or	EPO; JPO;	
		@pt1d<20010718 or @pd<20010718)	DERWENT;	
			IBM_TDB	
51	76	(i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) with (remote\$2 or distribut\$3)	US-PGPUB;	13:50
			EPO; JPO;	
			DERWENT;	
	``		IBM_TDB	
52	63	((i2c\$1 or iic\$1 or inter adj2 integrated adj2	USPAT;	2004/05/11
		circuit\$2) with (remote\$2 or distribut\$3)) and	US-PGPUB;	13:55
		(@ad<20010718 or @rlad<20010718 or	EPO; JPO;	13.55
		@prad<20010718 or @pt1d<20010718 or		
		@pd<20010718)	DERWENT;	
53	4	6266721.URPN.	IBW_TDB	2224/25/44
33	7	0200721.URPIN.	USPAT	2004/05/11
54		/3//731 UDDN 1/3 h4 h4	<u>.</u>	13:50
34	1	6266721.URPN, and (i2c\$1 or iic\$1 or inter adj2	USPAT;	2004/05/11
	•	integrated adj2 circuit\$2)	US-PGPUB;	14:03
			EPO; JPO;	
			DERWENT;	
<u></u>			IBM_TDB	
55	16	"82B715"	USPAT;	2004/05/11
			US-PGPUB;	13:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
56	16	"82B715" and (@ad<20010718 or @rlad<20010718 or	USPAT;	2004/05/11
		@prad<20010718 or @pt1d<20010718 or	US-PGPUB;	14:04
		@pd<20010718)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
57	3	(US-6189109-\$ or US-6266721-\$ or	USPAT	2004/05/11
		US-6378024-\$).did.		14:03
58	2315	(microcontrol\$5 or micro adj2 control\$5) with	USPAT;	2004/05/11
		network\$3	US-PGPUB;	14:03
		- N N N	EPO; JPO;	14.03
			DERWENT;	
			1	
59	61	((microcontrol\$5 or micro adj2 control\$5) with	IBM_TDB	2004/05/44
-,		network\$3) and (i2c\$1 or iic\$1 or inter adj2	USPAT;	2004/05/11
			US-PGPUB;	14:04
		integrated adj2 circuit\$2)	EPO; JPO;	
			DERWENT;	
60		///winners	IBW_TDB	
60	54	(((microcontrol\$5 or micro adj2 control\$5) with	USPAT;	2004/05/11
		network\$3) and (i2c\$1 or iic\$1 or inter adj2	US-PGPUB;	14:04
		integrated adj2 circuit\$2)) and (@ad<20010718 or	EPO; JPO;	
		@rlad<20010718 or @prad<20010718 or	DERWENT;	
		@pt1d<20010718 or @pd<20010718)	IBM_TDB	